



Abrasive papers



- **Rolls**
- **Sheets**
- **Velcro discs**
- **Velcro rolls**
- **Velcro sheets**



PAPER BACKING

Backing	gr/m ²	Features
A	75-90	Light and flexible backings suitable for manual sanding and finishing applications.
B	90-120	
C	120-150	Medium weight backings suitable for manual sanding and for applications with orbital sanders.
D	150-200	
E	200-250	Heavy weight backings, suitable for manual and mechanical sanding.
F	> 250	

BONDINGS

Urea and phenolic resins are used to secure the abrasive grits to the backing. Resins are thermosetting and therefore highly resistant to humidity and to heat generation.

To enhance the features of some abrasive papers the resins are filled with cooling agents or clogging limiters.

ABRASIVES

ALUMINIUM OXIDE:

- Multipurpose abrasive mineral for a wide range of applications, suitable on ferrous and non ferrous-metals, wood and leather.

SILICON CARBIDE:

- Very sharp and hard, suitable on marbles, stones, non-ferrous metals, plastic materials and glass.

COATING

Close coat : 100% grain coverage of the backing.

Open coat : 60% grain coverage of the backing. Paper products made in open coat are more flexible and ensure low clogging phenomena compared to close coat products.

CF53 ALUMINIUM OXIDE PAPER OPEN COAT

Technical specifications:

Backing: C - weight paper 120g/m²
Bonding: glue over glue
Coating: semi-open coat
Abrasive: white aluminium oxide
Grits: 180-150-120-100-80-60-40

Applications:

Suitable for manual sanding of wood, paints and fillers.
Universal use.
Dry use.

CA76 WET AND DRY ALUMINIUM OXIDE PAPER

Technical specifications:

Backing: C - weight latex paper 120g/m²
Bonding: resin over resin
Coating: close coat
Abrasive: semi-friable aluminium oxide
Grits: 400-320-280-240-220-180-150-120-100-80-60-40

Applications:

Very flexible multipurpose product suitable for manual sanding and for orbital sanders. Ideal for wood, paints and fillers.
Wet and dry use.

CS78 STEARATE ALUMINIUM OXIDE RESIN PAPER

Technical specifications:

Backing: C - weight latex paper 120g/m²
Bonding: resin over resin + stearate
Coating: open coat
Abrasive: semi-friable aluminium oxide
Grits: 500-400-320-220-180-150-120-100-80

Applications:

Product with anti-clogging properties. Suitable for manual sanders and for orbital sanders. Finishing of fillers and paints.
Dry use only.

CR57 ALUMINIUM OXIDE RESIN PAPER

Technical specifications:

Backing: F - weight paper 270g/m²
Bonding: resin over resin
Coating: semi-open
Abrasive: aluminium oxide (blue fire-treated)
Grits: 150-120-100-80-60-40

Applications:

Manual and mechanical sanding of wood, hard woods and mild steel. Suitable on planetary and orbital sanders.
Dry use only.

CC23 SILICON CARBIDE RESIN PAPER

Technical specifications:

Backing: E - weight paper 240g/m²
Bonding: resin over resin
Coating: close coat
Abrasive: silicon carbide
Grits: 1000-800-600-500-400-320-220-180-150-120-100-80-60-40

Applications:

Sanding of marbles, natural stones, fiberglass and glass.
Suitable on planetary sanders.
Dry use only.

CW51 SILICON CARBIDE WATERPROOF PAPER

Technical specifications:

Backing: A - weight latex paper 70g/m²
C - weight latex paper 120g/m²
Bonding: resin over resin
Coating: close coat
Abrasive: silicon carbide
Grits: 1000-800-600-500-400-360-320-280-240-220-180-150-120

Applications:

Manual sanding on painted wood, fillers and paint.
Widely used on car bodies.
Wet and dry use.



Suitable for manual sanding of wood, paints and fillers.
Universal use.
Dry use

ALUMINIUM OXIDE PAPER OPEN COAT item **CF53**

Width mm	Length m	List Price per Roll				Packing
		180-150-120-100	80	60	40	
115	50	29,05	33,23	38,26	46,16	1



Multipurpose product suitable for manual sanding and for orbital sanders.
Ideal for wood, paints and fillers.
Wet and dry use.

WET AND DRY ALUMINIUM OXIDE PAPER item **CA76**

Width mm	Length m	List Price per Roll				Packing	
		400-320-280-240	220-180-150-120-100	80	60		40
115	100	80,99	80,99			1	
115	50			44,84	50,33	63,24	1
115	5		5,29	5,47	6,03	7,31	10



Manual and mechanical sanding of wood, hard woods and mild steel.
Suitable on planetary and orbital sanders.
Dry use only.

ALUMINIUM OXIDE RESIN PAPER item **CR57**

Width mm	Length m	List Price per Roll				Packing
		150-120-100	80	60	40	
115	50	51,97	56,59	64,66	82,15	1
115	5	6,05	6,50	7,28	8,97	10

SHEETS OF ABRASIVE PAPER

Suitable for manual sanding of wood, paints and fillers.
 Universal use.
 Dry use



ALUMINIUM OXIDE PAPER OPEN COAT item **CF53**

Width mm	Length mm		List Price per Sheet		
			80	60	40
		180-150-120-100	50 pcs per box		
230	280	0,35	0,39	0,45	0,55


Multipurpose product suitable for manual sanding and for orbital sanders.
 Ideal for wood, paints and fillers.
 Wet and dry use.



WET AND DRY ALUMINIUM OXIDE PAPER item **CA76**

Width mm	Length mm		List Price per Sheet		
			80	60	40
		400-320-280-240-220-180-150-120-100	100 pcs per box		
230	280	0,50	0,55	0,61	0,76

Manual sanding on painted wood, fillers and paint.
 Widely used on car bodies.
 Wet and dry use.



SILICON CARBIDE WATERPROOF PAPER item **CW51**

Width mm	Length mm		List Price per Sheet		
			180	150	120
		1000-800-600-500-400-360-320-280-240-220	100 pcs per box		
230	280	0,59	0,63	0,68	0,72



Sanding of wood, paints and fillers.

Discs must be mounted on a pad for velcro discs and used with orbital sanders.

ALUMINIUM OXIDE RESIN PAPER item **CA76V**

Diameter mm	Holes	List Price per disc			
		50 pcs per box			
		<i>120-100</i>	<i>80</i>	<i>60</i>	<i>40</i>
125	8	0,32	0,33	0,34	0,37
150	plain	0,42	0,43	0,45	0,52
150	6	0,43	0,44	0,46	0,52
150	8 + 1	0,43	0,44	0,46	0,52



Finishing of fillers and paints.

Product with anti-clogging properties.

Discs must be mounted on a pad for velcro discs and used with orbital sanders.

STEREATE ALUMINIUM OXIDE RESIN PAPER item **CS78V**

Diameter mm	Holes	List Price per disc			
		100 pcs per box <i>500-400-320-220-180-150</i>	<i>120</i>	50 pcs per box <i>100</i>	<i>80</i>
125	8	0,35	0,37	0,37	0,40
150	plain	0,46	0,47	0,47	0,52
150	6	0,46	0,47	0,47	0,52
150	8 + 1	0,46	0,47	0,47	0,52
150	8 + 6 + 1	0,46	0,47	0,47	0,52

VELCRO DISCS


Sanding of wood, hard woods and mild steel.
Discs must be mounted on a pad for velcro discs and used with orbital sanders.



ALUMINIUM OXIDE RESIN PAPER item **CR57V**

Diameter mm	Holes	List Price per disc				
		50 pcs per box				
		120	100	80	60	40
115	plain	0,31		0,32	0,34	0,37
125	NEW plain	0,34		0,35	0,37	0,41
125	8	0,35	0,35	0,36	0,38	0,42
150	plain	0,46	0,46	0,49	0,54	0,60
150	6	0,47	0,47	0,49	0,55	0,61
150	8 + 1	0,47	0,47	0,49	0,55	0,61


Sanding of marbles, natural stones, fiberglass and glass.
Discs must be mounted on a pad for velcro discs and used with orbital sanders.



SILICON CARBIDE RESIN PAPER item **CC23V**

Diameter mm	Holes	List Price per disc					
		100 pcs per box		50 pcs per box			
		1000*-800-600-500-400-320-220-180-150		120-100	80	60	40
115	plain	0,32		0,33	0,33	0,34	0,36
125	plain	0,36		0,36	0,38	0,38	0,40
150	plain	0,50		0,50	0,54	0,54	0,58
180	plain	0,67		0,67	0,69	0,70	0,75

*Grit 1000 to be discontinued



Pads are used to fix the velcro discs and have to be mounted on planetary or orbital sanders.

PADS FOR VELCRO DISCS FOR ORBITAL SANDERS

Item	Diameter mm	Holes	Mounting	List Price Each	Packing	Max rpm
PVO125-8F	125	8	5/16"	28,51	1	12000
PVO150	150	plain	*	34,25	1	12000
PVO150-6F	150	6	*	34,25	1	12000
PVO150-9F	150	8 + 1	*	42,99	1	12000
PVU150-15F	150	8 + 6 + 1	*	45,15	1	12000

* These pads are supplied with 5/16", M8 mounting and ring drive.

PADS FOR VELCRO DISCS FOR PLANETARY SANDERS

Item	Diameter mm	Holes	Mounting	List Price Each	Packing	Max rpm
PVG115	115	plain	M14	26,44	1	12000
PVG125 NEW	125	plain	M14	34,25	1	12000


FITTINGS

Item	Description	List Price Each	Packing
K14T	spindle for drilling machine	1,79	1
K14R	spindle for random orbital sander	1,79	1

SOFT PADS FOR VELCRO DISCS FOR PLANETARY SANDERS

Item	Diameter mm	Holes	Mounting	List Price Each	Packing	Max rpm
PVR115	115	plain	M14	30,95	1	12000
PVR125	125	plain	M14	31,55	1	12000
PVR150	150	plain	M14	33,45	1	12000
PVR180	180	plain	M14	41,10	1	12000

VELCRO ROLLS



Sanding of wood, paints and fillers.
To be mounted on orbital sanders with velcro buffer.

ALUMINIUM OXIDE RESIN PAPER item CA76V

Width mm	Length m	List Price per roll				Packing
		120-100	80	60	40	
80	25	30,06	30,72	32,77	37,64	1
115	25	41,12	42,04	44,94	51,74	1



Finishing of fillers and paints.
Product with anti-clogging properties.
To be mounted on orbital sanders with velcro buffer.

STEREATE ALUMINIUM OXIDE RESIN PAPER item CS78V

Width mm	Length m	List Price per roll					Packing
		400	320	220	180	150	
80*	25	32,76	32,76	32,76	32,76		1
115	25	45,10	45,10	45,10	45,10	45,10	1

*Rolls in width 80mm to be discontinued

VELCRO SHEETS



Finishing of fillers and paints.
Product with anti-clogging properties.
To be mounted on orbital sanders with velcro buffer and vacuum system.

STEREATE ALUMINIUM OXIDE RESIN PAPER item CS78V

Width mm	Length mm	Holes	List Price per Sheet	Packing
			220-180-150-120-100	
115	230	10	0,61	100

